


# Skyros


Reframing the Makers Heritage





# Skyros Reframing the Makers Heritage


Homespun artist's weaving, braiding, and macrame knotting inspire the tile's color, texture, and pattern. For millennia, the art of weaving has been passed down generationally, culturally, and communally to offer heightened expressions of history and heritage. Time, tradition, and talent has - and continues to - create artistry using hair, thread, tapestry and whatever else is available to create delicate and durable art. As many great artists are unsung, so often too have been the work of women's hands. Skyros celebrates their rich history and modern mastery with a tile collection to transform any space with imaginative expression. Allow the Skyros collection from Bandura Design to empower you to express the stories, teachings, and emotions, Skyrosed upon us by generations of women.





## Arku MATTE rectified









# Telares








## Saori MATTE rectified





## Kunano MATTE rectified











Skyros\_Telares\_24"x48"\_Light\_Grey\_Matte Skyros\_Saori\_12"x12"\_Indigo\_Matte

#### Floor

Skyros\_Arku\_24"x48"\_Warm\_Grey\_Matte







Skyros\_Saori\_12"x12"\_12"x24"\_Cream\_Mat te Skyros\_Saori\_24"x24"\_Cream\_Matte

Skyros\_Telares\_24"x48"\_Cream\_Matte



Skyros

Floor

Wall





Wall

Skyros\_Kunano\_12"x12"\_Matte

Floor

Skyros\_Arku\_24"x48"\_White\_Matte











Skyros\_Telares\_24"x48"\_Cream\_Matte Skyros\_Telares\_24"x48"\_Indigo\_Matte

Skyros\_Arku\_24"x48"\_White\_Matte Skyros\_Saori\_12"x12"\_Charcoal\_Matte
Skyros\_Saori\_12"x12"\_24"x24"\_Light\_Grey\_Matte





Skyros\_Saori\_24"x48"\_Indigo\_Matte


#### Floor

Skyros

Skyros\_Arku\_24"x48"\_Cool\_Grey\_Matte Skyros\_Telares\_24"x48"\_Indigo\_Matte Skyros\_Saori\_12"x12"\_Indigo\_Matte







#### Wall

Skyros\_Saori\_24"x48"\_Indigo\_Matte Skyros\_Telares\_24"x48"\_Light\_Grey\_Matte

#### Floor

Skyros\_Arku\_24"x48"\_Warm\_Grey\_Matte





Wall
Skyros\_Kunano\_12"x12"\_Matte






Skyros\_Telares\_12"x12"\_Indigo\_Matte
Skyros\_Saori\_12"x12"\_12"x24"\_Indigo\_Matte
Skyros\_Saori\_24"x48"\_Indigo\_Matte
Skyros\_Saori\_24"x48"\_Cream\_Matte
Skyros\_Kunano\_12"x12"\_Matte

#### Floor

Skyros\_Arku\_24"x48"\_White\_Matte Skyros\_Telares\_24"x24"\_Indigo\_Matte











#### Wall

Skyros\_Telares\_24"x48"\_Indigo\_Matte Skyros\_Kunano\_12"x12"\_Matte

#### Floor

Skyros\_Kunano\_12"x12"\_Matte Skyros\_Telares\_24"x48"\_Indigo\_Matte Skyros\_Arku\_24"x48"\_Cool\_Grey\_Matte

## Technical Sheet

Arku

WHITE COOL GREY

#### Sizes and finishes:

12"x24"

1104137 Matte rectified

24"x48"

1104111 Matte rectified

3"x12" Bullnose

1104543 Matte rectified

#### **Applications:**

Floor Wall



24"x48"

12"x24"

### Sizes and finishes:

12"x24"

1104139 Matte rectified

24"x48"

1104113 Matte rectified

3"x12" Bullnose

1104545 Matte rectified



Floor

Wall



24"x48"

12"x24"

CHARCOAL

#### WARM GREY

#### Sizes and finishes:

12"x24"

1104138 Matte rectified


24"x48"

1104112 Matte rectified

3"x12" Bullnose

Applications:

1104544 Matte rectified



12"x24"

1104140 Matte rectified

24"x48"

1104114 Matte rectified

3"x12" Bullnose

1104546 Matte rectified



24"x48"

Floor

Wall




12"x24"

#### Applications:

Floor

Wall



#### Telares

CREAM CHARCOAL Sizes and finishes: 12"x24" Sizes and finishes: 1104133 Matte rectified 12"x24" 1104135 Matte rectified 24"x48" 1104115 Matte rectified 24"x48" 1104117 Matte rectified Applications: Applications: Floor 24"x48" 24"x48" Floor Wall Wall 12"x24" 12"x24" LIGHT GREY I NDIG 0 Sizes and finishes: Sizes and finishes: 12"x24" 12"x24" 1104134 Matte rectified 1104136 Matte rectified 24"x48" 24"x48" 1104116 Matte rectified 1104118 Matte rectified Applications: Applications: 24"x48" 24"x48" Floor Floor Wall Wall 12"x24" 12"x24"

### Saori

CREAM Sizes and finishes: 12"x12" 1104142 Matte rectified 12"x24" 1104128 Matte rectified 24"x24" 1104123 Matte rectified 24"x48" 1104119 Matte rectified 24"x24" 24"x48" 12"x24" 12"x12" Applications: Floor Wall

#### LIGHT GREY

Sizes and finishes: 12"x12" 1104143 Matte rectified 12"x24" 1104130 Matte rectified 24"x24" 1104124 Matte rectified 24"x48" 1104120 Matte rectified 24"x24" 24"x48" 12"x12" 12"x24" Applications: Floor Wall

#### Sizes and finishes:

12"x12"

1104144 Matte rectified

12"x24"

1104131 Matte rectified

24"x24"

1104125 Matte rectified

24"x48"

1104121 Matte rectified

#### Applications:

Floor Wall

# 24"x24" 12"x12"

#### I NDIG 0

24"x48"

CHARCOAL

#### Sizes and finishes:

12"x12"

1104145 Matte rectified

12"x24"


1104132 Matte rectified

24"x24"

1104127 Matte rectified

24"x48"


1104122 Matte rectified






#### Applications:

Floor Wall





### Kunano

Sizes and finishes: RANDOM MIX


12"x12" Deco 1104141 Matte rectified

#### Applications:

Floor Wall



12"x12"



Skyros 45

#### **Technical Specifications**

This product meets or exceeds all standards described in ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	ACTUAL VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
*	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
^	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
~		ANSI	INDOOR ≥0.42 WET	≥0.42 WET	
*	D.C.O.F. AcuTest®	A326.3	OUTDOOR >0.55 WET	>0.55 WET 2CM & GRIP	
×	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN	ASTM C1505	≥175 lbf	≥200 lbf	
۵	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
**	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in ( ±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
H	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
<u></u>	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	

<sup>•</sup> Due to the inherent nature of fired porcelain tile, it is important to note that the coefficent of friction may vary within and between product runs.



### Progress that invests in the entire society

As an active member of the U.S Green Building Council, we spread awareness to the community and encourage the use of building solutions through environmentally friendly practices. Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

## A commitment to environmental sustainability

and responsibility
We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions.

Skyros



35-02 Northern Blvd. Long Island City N.Y. 11101 www.hometilecenterofny.com (718) 361-9401

MADE IN THE USA