



Lotus +



# Lotus +

Lotus+ enhances the home with its wood-like appearance thatis asauthentic as it is welcoming, setting the stage for warm and sophisticated interiors.

Glue Down - 20 mil - Wood Embossed





7"x48"

Lotus + |3









4| Lotus + |5

## Lotus +

#### Glue Down





20 mil - Wood Embossed



#### Honey

**7"x48"**EVLOTU3005



### Maple

**7"x48"**EVLOTU3002



#### Smoke

**7"x48"**EVLOTU3003

#### Technical Specifications

	Standard	Result
Thickness		2.5 mm
Size		7"x48"
Material		Virgin Vinyl
Wear Layer		20 mil
Surafce Treatment		Diamond Guard / Health Guard
Surface Texture		Wood Emboss
Warranty	Commercial / Residential	15 year Commercial / Limited Lifetime Residentia
Installation	Commercial / Residential	Glue down
Beveled Edge		No
Classification	ASTM F1700 ASTM E648-06 ASTM E662-06 ASTM C1028 ASTM F925 ASTM F1514	Class III Type B
Reaction to fire		Class 1
Smoke Density		Pass <450
Slip resistance		Pass ADA Compliant (>0.50)
Staining resistance		Pass
Light Resistance		Pass
Abrasion resistance		Pass
Dimensional stability	ASTM D4060-14	Pass 0.011 in / ft <0.020 in / ft
Acoustic impact noise reduction	ASTM F2199	
Static load	ASTM E2179-09 ASTM E492-09	$\Delta IIC = 4 dB$
Flexibility	ASTM F970	Pass 1000 psi / 250 psi (<0.005 in)
Phthalate free	ASTM FI37	Pass
		Yes





#### Packaging Information

Size	SF percarton	PC percarton	BX perpallet
7"x48"	<i>35</i>	15	60