



**Corfu**  
the craft of clay



# Corfu

**“Our ability to transform something – is magical when working with clay.”**

This collection celebrates the contrasts between old and new, fragile and strong, machined and crafted, promoting the authenticity of clay and its inherent biophilic connection between humans in the built environment and the natural world. A harmonious combination of earthen inspired designs celebrate earthen craft without dimming the spirit and individuality of the origin material. At once natural, versatile, biophilic and sustainable, clay's raw beauty of unpredictability and inherent imperfection leaves an imprint on us all. Used throughout human history, clay is all around us in both creative and practical forms, historical and modern.

Clay is both fragile and incredibly strong. Unfired earth is responsive and malleable. We leave our mark on clay as it has left its mark on our human heritage. Craft is often seen as converse to our current technology-centered approach but clay carries the value of tradition and the promise of innovation. Corfu celebrates the natural materiality, honors artisan traditions, and enables us to connect to something bigger. It is these seemingly dichotomous ideas that nourish each other in all clay works thereby cultivating this collection.





### **Natural**

Our affinity for nature is as old as human existence, a timeless bond that has transcended ages and cultures. Porcelain stoneware is a natural and eco-friendly material obtained from pressing a selected mix of clay, kaolin, sand, and other natural materials.

### **Versatile**

One of the most remarkable features of this porcelain collection is its ability to seamlessly transition from indoor to outdoor spaces, creating a harmonious flow throughout any project. This versatile, low maintenance collection adds warmth and interest to any setting, from residential to commercial, hospitality to healthcare.

### **Biophilic**

Beyond its utilitarian properties, clay grounds us in tactile and sensory connections with the Earth. Through the lens of biophilic design, clay imagery emerges as a conduit to integrate nature's essence into the very fabric of architectural spaces.

### **Sustainable**

Porcelain is an ideal material for the people and planet providing both aesthetic and environmental benefits to residential and commercial spaces. From unparalleled durability to zero-waste manufacturing, porcelain tile is one of the healthiest and most ecologically responsible products on the market.





natural




the craft of clay



imperfect

renewed

Corfu



clay's raw  
beauty leaves an  
imprint on us all.









# intaglio

MATTE rectified



Cool




Kaolin



Warm

Corfu





# strata

MATTE rectified



Cool



Kaolin



Warm

Corfu





# raw earth

MATTE rectified




Cool



Warm



12"x24"



24"x48"



# underglazed ombre


MATTE rectified



Cool



Warm



48"x110"  
6 mm - 1 /4"



# rare earth deco

MATTE rectified



1 2"x1 2"

Rare earth deco are packaged in a random manner.  
We cannot guarantee which faces are in each package.





## Wall

strata\_12"x24"\_24"x48"\_Cool\_Matte  
intaglio\_24"x48"\_Cool\_Matte

## Floor

intaglio\_4 8"x4 8"\_Cool\_Matte







### Wall

underglazed ombre\_48"x110"\_Warm\_Matte

### Floor

intaglio\_24"x24"\_2 cm\_Outdoor\_Warm\_Grip






## Floor

intaglio\_1 2"x24"\_Kaolin\_Matte  
rare earth deco\_12"x12"\_Matte





## Wall

intaglio\_32"x96"\_Kaolin\_Matte  
raw earth\_24"x48"\_Warm\_Matte

## Floor

intaglio\_48"x48"\_Kaolin\_Matte






### Wall

underglazed ombre\_48"x110"\_Cool\_Matte

### Floor

intaglio\_24"x48"\_Warm\_Matte





## Wall

raw earth\_24"x48"\_Cool\_Matte

## Floor

intaglio\_48"x48"\_Cool\_Matte





## Wall

raw earth\_24"x48"\_Warm\_Matte

## Floor

intaglio\_24"x48"\_Warm\_Matte





## Floor

intaglio\_24"x48"\_Cool\_Matte

## Countertop

Mykonos\_48"x110"\_Adagio White\_Matte







### Wall

strata\_12"x24" \_Warm\_Matte

### Floor

strata\_24"x48" \_Warm\_Matte

intaglio\_24"x24" \_2 cm\_Outdoor\_Warm\_Grip





## Floor

intaglio\_24"x24"\_2 cm\_Outdoor\_Cool\_Grip





intaglio

Sizes and finishes:

- 1 2"x24" 1105049 Matte rectified
- 24"x48" 1105024 Matte rectified
- 48"x48" 1105019 Matte rectified
- 3"x24" 1105060 Matte rectified - Bullnose
- 24"x24" - 2 cm Outdoor 1105076 Grip rectified
- 12"x12" (36Dot) 1105057 Matte rectified - Mosaic

Applications:

Floor Wall Outdoor




Cool

Sizes and finishes:

- 1 2"x24" 1105050 Matte rectified
- 24"x48" 1105025 Matte rectified
- 48"x48" 1105021 Matte rectified
- 32"x96" 1105101 Matte rectified - 12 mm - 1 / 2"
- 3"x24" 1105061 Matte rectified - Bullnose
- 24"x24" - 2 cm Outdoor 1105077 Grip rectified
- 12"x12" (36Dot) 1105058 Matte rectified - Mosaic

Applications:

Floor  
Wall  
Outdoor




Kaolin

Sizes and finishes:

- 1 2"x24"
- 1105051 Matte rectified
- 24"x48"
- 1105026 Matte rectified
- 48"x48"
- 1105022 Matte rectified
- 3"x24"
- 1105062 Matte rectified - Bullnose
- 24"x24" - 2 cm Outdoor
- 1105078 Grip rectified
- 12"x12" (36Dot)
- 1105059 Matte rectified - Mosaic

Applications:

Floor  
Wall  
Outdoor



Warm



strata


Cool

Sizes and finishes:

- 1 2"x24" 1105054 Matte rectified
- 24"x48" 1105029 Matte rectified
- 3"x24" 1105063 Matte rectified - Bullnose

Applications:

Floor Wall




Warm

Sizes and finishes:

- 1 2"x24" 1105056 Matte rectified
- 24"x48" 1105031 Matte rectified
- 3"x24" 1105065 Matte rectified - Bullnose

Applications:

Floor  
Wall




Kaolin

Sizes and finishes:

- 1 2"x24" 1105055 Matte rectified
- 24"x48" 1105030 Matte rectified
- 3"x24" 1105064 Matte rectified - Bullnose

Applications:

Floor  
Wall





raw earth

Cool

Sizes and finishes:

- 1 2"x24" 1105052 Matte rectified
- 24"x48" 1105027 Matte rectified

Applications:

- Floor
- Wall




Warm

Sizes and finishes:

- 1 2"x24" 1105053 Matte rectified
- 24"x48" 1105028 Matte rectified

Applications:

- Floor
- Wall




rare earth deco

Sizes and finishes:

- 1 2"x1 2" 1105086 Matte rectified

Applications:

- Floor
- Wall





# underglazed ombre

Cool

## Sizes and finishes:

48"x110" 1105081 Matte rectified - 6 mm - 1 /4"

## Applications:

- Floor
- Wall



48"x110"

Warm

## Sizes and finishes:

48"x110" 1105082 Matte rectified - 6 mm - 1 /4"

## Applications:

- Floor
- Wall


















48"x110"



Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®st oneVALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET	
			OUTDOOR ≥0.55 WET		
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN 6 MM	ASTM C1505	Results are recordedpost cleaning. ≥175 lbf ≥275 lbf 2000 lbf (10.9 kN)	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	A tile sample is subjected to repeated	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2 CM	ASTM 1505	processes	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	ARPAGE EDGE WARPAGE	ASTM C485	±0.40% or ±0.05 in ( ±1.8 mm) ±0.40% or	±	Rectifie
	DIAGONAL	ASTM C485	±0.07 in (±1.8 mm)	0.40%	d
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± ± 0.25% 0.40%	Rectifie Rectified d
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8	±	Calibrate
	WARPAGE DIAGONAL	ASTM C485	mm) ±0.50% or ±0.07 in	0.50%	d
	WEDGING	ASTM C502	(±1.8 mm) ±0.50% or ±0.08 in (±2.0 mm)	± ± 0.50% 0.50%	Calibrate Calibrated d
	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in	
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm)	±0.25%	


• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.

Progress that invests in the entire society

As an active member of the U.S Green Building Council, our company spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices.®Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are: • Products containing as much as 45% recycled content. • Post-consumer recycled content levels as much as 3%. • Zero industrial wastewater discharge. • A 99% internal process recycling rate. • Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions. The manufacturer is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that they reach full carbon neutrality.





MADE IN THE USA



35-02 Northern Boulevard, Long Island City, NY 11101  
[www.hometilecenterofny.com](http://www.hometilecenterofny.com)  
(718) 361-9401