

MARBLES



MARBLES



MARBLES / VOLAKAS SILK p.4



MARBLES / CARRARA WHITE p.14



MARBLES / ONICIATA IVORY p.22




MARBLES / ONICIATA GREY p.34




MARBLES / MARMO NERO p.40

colors


MARBLES / VOLAKAS SILK



MARBLES / CARRARA WHITE




MARBLES / ONICIATA IVORY



MARBLES / ONICIATA GREY



MARBLES / MARMO NERO



2 | MARBLES

3

Classic in nature,
modern in presentation.
With the unique ability to tie together rustic and
modern décor schemes, or to stand alone
in its own brilliance, marble-looks have been the
sought after for centuries.
Classically timeless, the Marbles collection
contains an array of five designer shades, sure to
please even the most discerning interior designers.
Boasting four attractive sizes including a gorgeous
large format 24"x48".
The Marbles collection is comprised
of 40% recycled content, is made from locally
sourced, natural materials and contains no VOCs,
PVC or Formaldehyde commonly found in other
flooring options.



A background image showing a repeating pattern of light-colored marble tiles with dark, wavy veins. The tiles are arranged in a grid, separated by thin, light gray lines. The pattern is consistent across the entire upper portion of the page.

4

5

MARBLES / VOLAKAS SILK

6 | MARBLES




24"x24" / VOLAKAS SILK polished . 8"x24" / VOLAKAS SILK polished





10



11

12"x24" / VOLAKAS SILK matte . 9"x11" Hexagon Mosaic matteVOLAKAS SILK



14

15

MARBLES / CARRARA WHITE

16 | MARBLES



12"x24" / CARRARA WHITE matte . 9"x11" Hexagon Mosaic matte MARMO NERO

17



22

23

MARBLES / ONICIATA IVORY

24 | MARBLES



25







12"x24" / ONICIATA IVORY matte . 12"x12" Mosaiç ONICIATA IVORY polished

34

35

MARBLES / ONICIATA GREY

MARBLES



12"x24" / ONICIATA GREY matte . 8"x24" / ONICIATA GREY polished



12"x24" / ONICIATA GREY matte

40



24"x48" / ONICIATA GREY polished . 12"x24" / ONICIATA GREY polished

41





MARBLES / MARMO NERO

44


45

24"x48" / MARMO NERO polished

SIZES & SHADE VARIATION


sizes:

24"x48"
Matte




1102327 Volakas Silk
1102328 Carrara
White 1102329
Oniciata Ivory
1102330 Oniciata
Grey 1102331 Marmo
Nero

24"x24"
Matte



1102282 Volakas Silk
1102283 Carrara
White 1102284
Oniciata Ivory
1102285 Oniciata
Grey 1102286 Marmo
Nero


12"x24"
Matte



1102292 Volakas Silk
1102293 Carrara
White 1102294
Oniciata Ivory
1102295 Oniciata
Grey 1102296 Marmo
Nero


Colors shown may vary from
actual product.
Final selection should be made
from actual product samples.

24"x48"
Polished




1102332 Volakas Silk
1102333 Carrara
White 1102334
Oniciata Ivory
1102335 Oniciata
Grey 1102336 Marmo
Nero

24"x24"
Polished



1102337 Volakas Silk
1102338 Carrara White
1102339 Oniciata Ivory
1102340 Oniciata Grey
1102341 Marmo Nero

12"x24"
Polished



1102342 Volakas Silk
1102343 Carrara White
1102344 Oniciata Ivory
1102345 Oniciata Grey
1102346 Marmo Nero


8"x24"
Polished



1102379 Volakas Silk
1102380 Carrara White
1102381 Oniciata Ivory
1102382 Oniciata Grey
1102383 Marmo Nero

mosaics & trim pieces:

12"x12" Mosaic Matte
(36 dot) 2"x2"



1102357 Volakas Silk
1102358 Carrara
White 1102359
Oniciata Ivory
1102360 Oniciata
Grey 1102362 Marmo
Nero

9"x11"
Hexagon Mosaic Matte




1102369 Volakas Silk
1102370 Carrara White
1102371 Oniciata Ivory
1102372 Oniciata Grey
1102373 Marmo Nero

3"x12" Bullnose Matte




1102347 Volakas Silk
1102348 Carrara
White 1102349
Oniciata Ivory
1102350 Oniciata
Grey 1102351 Marmo
Nero

12"x12" Mosaic Polished
(36 dot) 2"x2"



1102363 Volakas Silk
1102364 Carrara
White 1102365
Oniciata Ivory
1102367 Oniciata
Grey 1102368 Marmo
Nero

9"x11"
Hexagon Mosaic Polished




1102374 Volakas Silk
1102375 Carrara
White 1102376
Oniciata Ivory
1102377 Oniciata
Grey 1102378 Marmo
Nero

3"x12" Bullnose Polished




1102352 Volakas Silk
1102353 Carrara
White 1102354
Oniciata Ivory
1102355 Oniciata
Grey 1102356 Marmo
Nero




V1

UNIFORM APPEARANCE
Differences among pieces
from the same production
run are minimal.



V2

SLIGHT VARIATION
Clearly distinguishable
differences in texture
and/or pattern with
similar colors.



V3

MODERATE VARIATION
While the colors present on
a single piece of tile will be
indicative of the colors to be
expected on the other tiles,
the amount of colors on each
piece will vary significantly.



V4

SUBSTANTIAL VARIATION
Random color differences from
tile to tile, so that one tile may
have totally different colors from
that on other tiles. Thus, the final
installation will be unique.



Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3.
Este product cumple o exceed todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE@stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET	
			OUTDOOR >0.55 WET	>0.55 WET 2CM & GRIP	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	

• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product r