

Crete



Crete



Crete / *IMPERIAL* p.26



Crete / *ALASKA GREY* p.18



Crete / *APUANO* p.12



Crete / *DOLOMITE* p.6

colors/matte & polished

Crete / <i>DOLOMITE</i>	
Crete / <i>APUANO</i>	
Crete / <i>ALASKA GREY</i>	
Crete / <i>IMPERIAL</i>	

Introduce the elegant touch of polished marble into your design with the Crete collection. Available in two finishes -matte and polished- and four designer colors, this sleek floor & wall tile combines the timeless, classic look of marble with the low-maintenance and durability of porcelain as you plan your next eye-catching residential or commercial project.





Four color options:
Apuano, Imperial, Dolomite and Alaska grey.
Available in 3"x12", 12"x24", 24"x24" and
24"x48" floor & wall tile and mosaic
and trim options.

6

7

Crete / *DOLOMITE*

8 | Crete



12"x11" hexagon mosaic / *DOLOMITE* Polished. 12"x24" / *APUANO* Matte

9



12"x11" hexagon mosaic / *DOLOMITE* Polished
3"x12" / *APUANO* Matte



A large-scale image showing a repeating pattern of rectangular marble tiles. The tiles are arranged in a grid, with some tiles labeled '12' and '13'. The marble has a light beige base color with dark grey and brown veins running diagonally across the tiles. The tiles are separated by thin dark lines.

12

13

Crete / *APUANO*



3"x12" / *APUANO* Polished .12"x15" herringbone mosaic .12"x24" / *APUANO* Matte





18

19

Crete / *ALASKA GREY*



24"x24". 12"x24" / *DOLOMITE* Polished . 24"x48" / *ALASKA GREY* Matte





24"x48" / ALASKA GREY Matte





26

27

Crete / *IMPERIAL*



24"x48" / *IMPERIAL* Polished . 24"x24" / *APUANO* Matte



24"x48". 3"x12" / *IMPERIAL* Polished . 24"x24" / *APUANO* Matte



32



24"x48". 24"x24" / **IMPERIAL** Matte

33





34

35

SIZES & SHADE VARIATION

sizes:

3"x12"

Rectified / Matte

1100986 Apuano
1100987 Imperial
1100988 Dolomite
1100989 Alaska
Grey

12"x24"

Rectified / Matte



1100966 Apuano
1100967 Imperial
1100968 Dolomite
1100969 Alaska
Grey

24"x24"


Rectified / Matte



1100954 Apuano
1100955 Imperial
1100956 Dolomite
1100957 Alaska
Grey

24"x48"

Rectified / Matte



1100942 Apuano
1100943 Imperial
1100944 Dolomite
1100945 Alaska Grey

Colors shown may vary from actual product.
Final selection should be made from actual product samples.

3"x12"

Rectified / Polished



1101034 Apuano
1101035 Imperial
1101036 Dolomite
1101037 Alaska
Grey

12"x24"

Rectified / Polished



1101022 Apuano
1100922 Imperial
1101023 Dolomite
1101024 Alaska
Grey

24"x24"


Rectified / Polished



1101010 Apuano
1101011 Imperial
1101012 Dolomite
1101013 Alaska
Grey

24"x48"

Rectified / Polished



1100998 Apuano
1100999 Imperial
1101000 Dolomite
1101001 Alaska
Grey

mosaics & trim pieces:

Hexagon Mosaic
Matte



12"x11"

1100978 Apuano
1100979 Imperial
1100980 Dolomite
1100981 Alaska
Grey

Herringbone Mosaic
Matte



12"x15"

1100982 Apuano
1100983 Imperial
1100984 Dolomite
1100985 Alaska
Grey

3"x24'Bullnose Matte



1100974 Apuano
1100975 Imperial
1100976 Dolomite
1100977 Alaska
Grey

6"x12'Cove Base^{*special order only}



1100970 Apuano
1100971 Imperial
1100972 Dolomite
1100973 Alaska
Grey

Hexagon Mosaic
Polished



12"x11"

1101028 Apuano
1100932 Imperial
1101029 Dolomite
1101030 Alaska
Grey

Herringbone Mosaic
Polished




12"x15"

1101031 Apuano
1100933 Imperial
1101032 Dolomite
1101033 Alaska
Grey

3"x24'Bullnose Polished




1101025 Apuano
1100931 Imperial
1101026 Dolomite
1101027 Alaska
Grey



V1

UNIFORM APPEARANCE
Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION
Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION
While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4

SUBSTANTIAL VARIATION
Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.



24”x48” / ALASKA GREYMatte

Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3.

Este product cumple o exceed todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5 %	≤0.5 %	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET	
			OUTDOOR >0.55 WET	>0.55 WET 2CM & GRIP	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	

• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.



35-02 Northern Boulevard, Long Island City, N.Y. 11101
www.hometilecenterofny.com
(718) 361-9401